



PRODUKTINFORMATION

# Hot Disk AB M1

Der günstige Einstieg in die Wärmeleitfähigkeitsmessung

## Thermal Conductivity Meter



### Features

- Thermal conductivity range: 0.03 to 40 W/m/K.
- Sample size: minimum 10 mm thickness and 40 mm diameter.
- High accuracy and measurement stability.
- Hot Disk sensor and sample holder included.
- Wireless control and data analysis using your iPad<sup>®</sup>.
- Software and updates available free through App Store.
- Quick-Start Guide: begin testing within minutes.
- Data export and storage via DropBox<sup>®</sup> or iTunes<sup>®</sup>.
- Ideal teaching tool at school & university laboratories.
- Light and nimble - easily carried.
- For in-depth data analysis, including thermal diffusivity and specific heat capacity, optional PC software is available.

### Contact information

Hot Disk International Sales  
Tel: +61-434-249-794  
Ms. Myounghye Nam  
myounghye.nam@hotdisk.se

www.hotdiskinstruments.com  
Hot Disk AB  
SE-412 88  
Gothenburg  
Sweden



**C3 PROZESS- UND  
ANALYSENTECHNIK**

C3 Prozess- und  
Analystechnik GmbH  
Peter-Henlein-Straße 20  
D-85540 Haar b. München  
Telefon (089) 45 60 06 70  
Telefax (089) 45 60 06 80  
[info@c3-analysentechnik.de](mailto:info@c3-analysentechnik.de)